



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

AUG 10 2000

Mr. Ng Kok Hwa  
General Manager  
Handsafe Products SDN BHD  
Lot 4209, Jalan Bakariah  
84000 Muar, Johor Darul Takzim,  
MALAYSIA

Re: K000913  
Trade Name: Powder Free Latex Patient Examination  
Gloves With Protein Labeling Claim (50 micrograms or less)  
Regulatory Class: I  
Product Code: LYY  
Dated: July 14, 2000  
Received: July 19, 2000

Dear Mr. Ng Kok Hwa:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Ng Kok Hwa

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure



**HANDSAFE PRODUCTS SDN BHD** (Co. No. 170797-X)

Lot 4209, Jalan Bakariah, 84000 Muar, Johor Darul Takzim, West Malaysia.

Tel : 606-952 9003, 953 4325 & 954 0318 Fax : 606-952 6290

Email : handsafe@po.jaring.my URL : http://www.handsafe.com

### INDICATION FOR USE

Applicant : HANDSAFE PRODUCTS SDN BHD

510 (k) Number (if known) : - K000913

Device Name: Latex Patient Examination Gloves, POWDER-FREE WITH PROTEIN LABELING CLAIM  
(50 MICROGRAMS OR LESS)

Indications For Use :

A medical gloves is worn on the hand of health care and similar personnel to prevent contamination between health care personnel and the patient.

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH Office of device Evaluation (ODE)

Prescription Use \_\_\_\_\_

OR

Over-The-Counter X

Per 21 CFR 801.109

(optional Format 1-2-96)

Chin S. Lin  
(Division Sign-Off)  
Division of Dental, Infection Control,  
and General Hospital Devices  
510(k) Number K000913